



# Material Safety Data Sheet

## 1.0 Product and Company Identification

**Identification of the preparation:** **C6658A – No 58 Photo**

**Use of the preparation:** **Inkjet printing**

**Company Identification:** Hewlett-Packard Company  
1000 NE Circle Boulevard  
Corvallis, Oregon 97330-4239  
United States

**Emergency telephone number** 1-800-457-4209 (USA and Canada)  
**Hewlett-Packard Health Effects Line:** 503-494-7199 (USA direct)  
Singapore: +001-800-332-13321

**General information telephone number:** 208-323-2551 (USA direct)

**Local Contact Information:**

**Ireland**  
Liffey Park Technology Campus  
Barnhall Road,  
Leixlip, Co. Kildare  
Phone: 01 6150000

**United Kingdom**  
Hewlett-Packard, Ltd.  
Cain Road, Amen Corner  
Bracknell, Berkshire, RG12 1HN  
Phone: 1344 36-0000

| Hazard Rating          | NFPA/HMIS |
|------------------------|-----------|
| Health                 | 1         |
| Flammability           | 1         |
| Instability/Reactivity | 0         |
| Special                | none      |

## 2.0 Composition/Information on Hazardous Ingredients

This ink supply contains an aqueous ink formulation

### *For black ink formulation*

| Component/Substance  | CAS Number   | EU Number    | % by Weight | EU classification |
|----------------------|--------------|--------------|-------------|-------------------|
| 2-Pyrrolidone        | 616-45-5     | 210-843-1    | <8          | Xi; R36/37/38     |
| 1,5-Pentanediol      | 111-29-5     | 203-854-4    | <5          | not classified    |
| Ethyl alkyldiol      | confidential | confidential | <14         | not classified    |
| Alkyldiol ethoxylate | confidential | confidential | <4          | Xn; R21/22-38-41  |
| Water                | 7732-18-5    | 231-791-2    | >50         | not classified    |



# Material Safety Data Sheet

## *For cyan ink formulation*

| Component/Substance             | CAS Number   | EU Number    | % by Weight | EU classification      |
|---------------------------------|--------------|--------------|-------------|------------------------|
| 2-Pyrrolidone                   | 616-45-5     | 210-843-1    | <8          | Xi; R36/37/38          |
| 1,5-Pentanediol                 | 111-29-5     | 203-854-4    | <5          | not classified         |
| Ethyl alkyldiol                 | confidential | confidential | <14         | not classified         |
| Alkyldiol ethoxylate            | confidential | confidential | <4          | Xn; R21/22-38-41       |
| Substituted phthalocyanine salt | confidential | confidential | <3          | Xn; N; R22-48/22-51/53 |
| Water                           | 7732-18-5    | 231-791-2    | > 50        | not classified         |

## *For magenta ink formulation*

| Component/Substance  | CAS Number   | EU Number    | % by Weight | EU classification |
|----------------------|--------------|--------------|-------------|-------------------|
| 2-Pyrrolidone        | 616-45-5     | 210-843-1    | <8          | Xi; R36/37/38     |
| 1,5-Pentanediol      | 111-29-5     | 203-854-4    | <5          | not classified    |
| Ethyl alkyldiol      | confidential | confidential | <14         | not classified    |
| Alkyldiol ethoxylate | confidential | confidential | <4          | Xn; R21/22-38-41  |
| Water                | 7732-18-5    | 231-791-2    | > 50        | not classified    |

### **3.0 Hazard Identification**

The cyan ink is classified for environmental effects according to EU Directive 1999/45/EC with R52-53. The black and magenta inks are not classified according to EU Directive 1999/45/EC.

**Routes of Exposure:** Potential routes of overexposure to this product are skin and eye contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Complete toxicity data are not available for this specific formulation.



# Material Safety Data Sheet

**Acute Health Hazards:** Any potential hazards are presumed to be due to exposure to the components.

2-Pyrrolidone: Contact with eyes and skin may result in irritation. Inhalation may result in respiratory irritation.

Ingestion may result in nausea, vomiting, and diarrhea.

1,5-Pentanediol: Contact with eyes and skin may cause irritation.

Ethyl alkyldiol: Contact with eyes and skin may cause mild irritation.

Alkyldiol ethoxylate: Contact with eyes may result in severe irritation and corneal injury. Contact with skin may result in severe irritation. Ingestion may cause irritation of mouth, throat, nausea, vomiting and diarrhea.

*For cyan only:*

Substituted phthalocyanine salt: Harmful if swallowed.

**Chronic Health Hazards:** Substituted phthalocyanine salt: Prolonged ingestion exposure may cause damage to health.

**Carcinogenicity:** None of the components present in this formulation at concentrations equal to or greater than 0.1% are listed by EU, MAK, IARC, NTP or OSHA.

## 4.0 First Aid Measures

**Emergency telephone number** 1-800-457-4209 (USA and Canada)  
**Hewlett-Packard Health Effects** 503-494-7199 (USA direct)  
**Line:** Singapore: +001-800-332-13321

**Inhalation:** Remove to fresh air. If symptoms persist, consult a physician.

**Ingestion:** If stomach upset persists, consult a physician.

**Skin:** Wash affected areas thoroughly with soap and water. If irritation persists, consult a physician.

**Eyes:** Do not rub eyes. Immediately flush with large amounts of clean, lukewarm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician.

## 5.0 Fire Fighting Measures

**Extinguishing media:** Water, dry chemical, carbon dioxide, foam

**Unsuitable Extinguishing Media:** None known



# Material Safety Data Sheet

**Special Firefighting Procedures:** None known  
**Unusual fire and explosion hazards:** No special hazards known  
**Auto-ignition temperature:** Not determined  
**Flashpoint (method):** > 200° F, > 93.3° C (US EPA Method 1020)  
**Hazardous Combustion Products:** Refer to section 10

## 6.0 Accidental release measures

**Spill or Leak Procedures:** Standard eye and skin protection is recommended.  
**Environmental precautions:** Do not discharge into drains (See also Section 13, Disposal considerations)

## 7.0 Handling and Storage

**Handling and Storage precautions:** Keep out of the reach of children. Keep away from extreme heat or cold.  
**Special Sensitivity:** None

## 8.0 Exposure control/ personal protection

**Exposure Limit Values:** None established  
**Exposure Controls:** Standard eye and skin protection for laboratory chemical safety is recommended. Use in well ventilated area.

## 9.0 Physical and chemical properties

**pH:** 7.7 - 8.3 for black, cyan and magenta ink  
**Boiling point:** Not determined  
**Flash point:** > 200° F, > 93.3° C  
**Flammability:** US NFPA/HMIS Flammability rating = 1  
**Explosive properties:** Not applicable  
**Oxidizing properties:** Not applicable  
**Vapor Pressure:** Not determined  
**Relative density:** Specific Gravity 1.0 to 1.2  
**Solubility:** Soluble in water  
**Partition coefficient:** Not determined  
**Viscosity:** Not determined  
**Vapor density:** >1 (air = 1.0)  
**Evaporation rate:** Not determined  
**Other:** Not applicable





# Material Safety Data Sheet

## 16.0 Other information

**Date Prepared:** July 1, 2003  
**HP-DMS Document Control Number:** 09000de78022e5b8-eng

**Revision Information:** This document replaces all prior versions of the MSDS

**EU Risk (R) Phrase definitions:** R21/22: Harmful in contact with skin and if swallowed.  
R22: Harmful if swallowed  
R38: Irritating to skin  
R41: Risk of serious damage to eyes  
R36/38: Irritating to eyes and skin  
R48/22: Harmful: danger of serious damage to health by prolonged exposure if swallowed  
R52/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment  
R36/37/38: Irritating to eyes, respiratory system and skin.  
R52/53: Harmful to aquatic organisms may cause long-term adverse effects in the aquatic environment.

**Other Information:** This MSDS was prepared in compliance with EU Directive 91/155/EEC as amended by 2001/58/EC and USA OSHA Hazard Communication Standard (29CFR1910.1200).

**DISCLAIMER:** This Material Safety Data Sheet (MSDS) is provided without charge to customers of Hewlett-Packard. Data is the most current known to Hewlett-Packard at the time of preparation of this MSDS and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application.